

## EU & RoHS Declaration of Conformity

We,

**General Industrial Controls Private Limited**, T-107 & T-114, MIDC, Bhosari, Pune 411 026 (Maharashtra State) India +91-20-46232323, [info@gicindia.com](mailto:info@gicindia.com), [www.gicindia.com](http://www.gicindia.com); declare under sole responsibility that the following described products in our delivered version comply with the appropriate basic safety and health requirements of the:

1. Low Voltage Directive – 2014/35/EU	2. EMC Directive – 2014/30/EU	3. RoHS Directive 2011/65/EU
---------------------------------------	-------------------------------	------------------------------

based on its design and type, as brought into circulation by us.

***(In case of alteration of the product by the user, not agreed upon by us, this declaration will lose its validity.)***

### Description of the Product:

**Series /Nomenclatures : Liquid Level Controller**

Sr. No.	Catalog Numbers	Description
1	4421AD1	LIQUID LEVEL CONTROLLER,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING
2	4411AD1	LIQUID LEVEL CONTROLLER,110VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING
3	4431AD1	LIQUID LEVEL CONTROLLER,400VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING
4	4421AD109	LIQUID LEVEL CONT,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR MIXVILL
5	4421AD115	LLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR SANGCHAI METER
6	4421AD123	LLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR EDS
7	4421AD128	LLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR TOP BRAND
8	XM81052	WLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR L&T NAGAR
9	XM81053	WLC,415VAC +/-15%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR L&T NAGAR
10	XM81054	WLC,110VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR L&T NAGAR
11	XM810520000	WLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR NAGPUR
12	XM810530000	WLC,415VAC +/-15%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR NAGPUR
13	XM810540000	WLC,110VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,DRAINING & FILLING FOR NAGPUR
14	XM810550000	WLC,240VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,FILLING FOR NAGPUR
15	XM810560000	WLC,415VAC +/-15%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,FILLING FOR NAGPUR
16	XM810570000	WLC,110VAC +/-20%,50/60 Hz,1 C/O,1K to 200K SENSITIVITY,FILLING FOR NAGPUR

**Applicable Harmonized Standards: Under EMC & LVD Directives:**




<b>Ref. No.</b>	<b>Title</b>
IEC 61000-4-2	Electrostatic Discharge (ESD) Immunity Test
IEC 61000-4-3	Radiated, radio-frequency, electromagnetic field immunity test
IEC 61000-4-4	Electrical Fast Transient / Burst immunity test
IEC 61000-4-5	Surge Immunity test
IEC 61000-4-6	Conducted Susceptibility (Immunity to conducted disturbances, induced by radio-frequency fields)
IEC 61000-4-8	Power frequency magnetic field immunity test
IEC 61000-4-11	Voltage dips, short interruptions & Voltage variations immunity tests for AC input ports
IEC 61010-1	Di-electric Strength (Safety requirements for electrical equipment for measurement, control, and Laboratory use)
CISPR-11	Conducted & Radiated Emissions

**RoHS Directive 2011/65/EC** of the European Parliament & of the council regarding the limitation of dangerous substances.

Year in which CE Marking was affixed: 2016

Name of Company: General Industrial Controls Pvt. Ltd.

Date: 03-Feb-21

Name of Signatory: Rajan Rane Title / Designation: Asst. Manager (Product Engg)	Name of Signatory: Vijay Waykole Title / Designation: General Manager (Material Management)	Name of Signatory: Shrihari kshirsagar. Title / Designation: Manager (Quality)			
<i>Rajan H. R.</i>		<i>Vijay Waykole</i>		<i>SKshirsagar</i>	

**Document Ref. No: EC04421**